


Universität
Rostock  Traditio et Innovatio

Kristin Hanzlik (Bärbel Gerowitt)
University of Rostock, Faculty of Agricultural and
Environmental Sciences / Crop Health

Regional Coordinator Germany, Benelux, Switzerland, UK
EWRS Weed Mapping Working Group

3rd Meeting of the EWRS Weed Mapping Working Group, Jokionen (Finland), 22.09.2011

© UNIVERSITY OF ROSTOCK | Institute for Land Use – Crop Health

Universität
Rostock  Traditio et Innovatio

contents

- Contact to experts
- „Country reports“ UK and Belgium

© UNIVERSITY OF ROSTOCK | Institute for Land Use – Crop Health

Contacts

| | |
|------------------------|--|
| The Netherlands | no personal contact yet 1 potential member (Corné Kempenaar) |
| Belgium | Contact persons: Robert Bulcke, Els Mechant National weed monitoring of CHEAL in sugarbeet, expert knowledge : most frequent grasses and dicots |
| Luxembourg | no contact yet, no contact person found |
| Great Britain | Contact persons: Peter Lutman, Paul Neve Data from last UK weed surveys |
| Switzerland | Contact person: Christian Bohren agrees to support us, no information received yet |

UK mapping data – most frequent weeds and grasses

Results from the last full UK survey in 1989

| | Most frequent dicots | Most frequent grasses |
|---------------------|---|--|
| Cereals | <i>Stellaria media</i> <i>Veronica persica</i> <i>Matricaria</i> spp <i>Galium aparine</i> <i>Senecio vulgaris</i> | <i>Poa annua</i> <i>Alopecurus myosuroides</i> <i>Avena fatua</i> <i>Anisantha sterilis</i> |
| Oilseed rape | <i>Stellaria media</i> <i>Veronica persica</i> <i>Matricaria</i> spp. <i>Geranium dissectum</i> <i>Sinapis arvensis</i> | <i>Volunteer cereals</i> <i>Poa annua</i> <i>Alopecurus myosuroides</i> ↑ |

- different observations for England and Scotland (not shown)
- Recent sampling in South England indicates changes

Belgium expert knowledge – most frequent weeds and grasses

(1) Do you think the first drafts of Hansjörg Krämer represent the weed situation in the major crops in your country?

(2) Third important grass and dicot species are not presented yet - Which species would that be for Belgium in your opinion?

| | Most frequent dicots | Most frequent grasses |
|--------------|---|---|
| Cereals | <i>Stellaria media</i> <i>Matricaria</i> spp <i>Galium aparine</i> | <i>Alopecurus myosuroides</i> <i>Poa annua</i> <i>Apera spica-venti</i> . |
| Maize | <i>Chenopodium album</i> <i>Stellaria media</i> <i>Solanum nigrum</i> | <i>Echinochloa crus-galli</i> <i>Poa annua</i> <i>Setaria</i> spp. |
| Oilseed rape | <i>Stellaria media</i> <i>Matricaria</i> spp. <i>Galium aparine</i> | volunteer cereals (wheat & barley) <i>Alopecurus myosuroides</i> <i>Poa annua</i> |

THANK YOU
FOR
YOUR ATTENTION